

# Alberta Swine Improvement Program

CANADIANA  
C2  
SEP 22 1987

#204, 7000 - 113 St. Edmonton Alberta T6H 5T6 phone: 427-5319

HOME TEST REPORT

August 16 - 31, 1987

This report contains a list of boars and gilts which completed the ultrasonic home test during the past two weeks. It is available to pig producers as an aid in selecting quality breeding stock. Information in the report is intended to reflect the relative potential breeding worth of animals listed in terms of economic traits measured. These traits are carcass quality in terms of backfat and growth rate from birth to 90 kg.

## Information Reported

1. Information listed for each tested pig consists of: (a) breeder; (b) sire identification and EBV; (c) pig identification; (d) age (days) adjusted to 90 kg liveweight; (e) average backfat (mm) adjusted to 90 kg and (f) index of the pig compared to its contemporaries.
2. Home test herd averages are shown where 20 or more pigs by sex and breed were tested from the herd during the previous twelve month period. This average is the one against which all pigs in the current report are indexed. Animals of average economic merit will index 100. Boars or gilts with superior performance will be reflected by an index over 100.
3. It is important to remember that between-herd comparisons should not be made on the basis of home test data. Differences in environment, nutrition and management between farms will render such comparisons invalid.
4. Between herd comparisons should be made on the basis of the sires Estimated Breeding Values (EBV). EBV's are an estimate of the genetic value of the sire for backfat (mm at 90 kg) and growth rate (days to 90 kg). They are obtained by comparing the performance of each sire to all other sires in Western Canada using a computer statistical model called the best linear unbiased prediction (BLUP) method. Across herd comparisons of sire EBV's are valid because the management of the herd in which each record was obtained has been corrected for. EBV's are based on 0, which is the average for Western Canada, the greater the negative number the more likely the sire's progeny will genetically reduce backfat and/or age. The sire's EBV index is also an across herd comparison of the sire's genetic worth which combines backfat and age into one figure. A 100 index is the average for each breed for Western Canada. The greater index value above 100, the greater the overall genetic worth. Where no EBV's are shown, sires are too new to have been evaluated.
5. EBV's are also available for dams and other regions of Canada from the Pork Industry Branch at the address listed on page 2.

## How To Use This Report

(See Reverse)



Agriculture  
Canada



### How To Use This Report

#### BOARS

1. Find a sire which exhibits those performance EBV's that you consider most important in the breed that fits into your intended breeding program.
2. Narrow your field of farms due to distance, health considerations, etc.
3. Find the highest indexing boar(s) from the sire you have chosen and phone the breeder to ascertain if they are available and physically sound, cost, etc.
4. Go examine the boar(s) yourself if you wish to make a final judgement to close the sale.

#### GILTS

1. Determine what breeds or crossbreds will fit in best to your intended breeding program.
2. Limit your choices of farms due to distance, health status, etc.
3. Find the farm(s) with the best overall performance in the breed(s) you have identified and phone them as to availability, price, etc.
4. Visit the farm yourself to make final determination regarding soundness and suitability, etc.

The animals reported have not been evaluated for physical or breeding soundness and health status. These assessments must be made by the selector.

Prepared by:

Lajos Hajdu  
Senior Swine Technician  
Alberta Agriculture, Pork Industry Branch  
#204, 7000 - 113 Street  
EDMONTON, Alberta  
T6H 5T6  
Phone: 427 - 5319

## B O A R D S

BREEDER TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		SIRE'S		PIG IDENTIFICATION	BACKFAT (MM) TO 90 KG	AGE DAYS TO 90 KG	INDEX
		FAT (MM)	AGE (DAYS)	EBV INDEX					
YORKSHIRE									
gra Farms Ltd.	12 month average					97 pigs	(14.2)	(156)	100
okotoks 38-7741	KKEF 2332T (1)					ARHL 160W	13.8	154	108
	RITR 505U					" 178W	13.3	145	130
	"					" 179W	14.8	153	96
	"					" 180W	12.4	147	138
	"					" 195W	14.3	146	114
	"					" 203W	13.2	151	121
	"					" 205W	13.7	142	129
	"					" 208W	14.7	144	113
	"					" 210W	19.2	141	61
oomsbury Farms	12 month average					25 pigs	(15.8)	(15.9)	100
oomsbury 74-3307	WM 1007U					WM 2204W	14.0	146	133
	"					" 2205W	13.3	157	127
	"					" 2207W	12.2	146	151
	"					" 2507W	12.6	147	146
	"					" 2508W	14.6	146	127
	WM 804U					" 2604W	13.3	139	148
	"					" 2607W	13.4	143	143
	"					" 2608W	13.9	136	146
raat, J.	12 month average					101 pigs	(12.1)	(149)	100
oaldale 27-9757	ANZI 3863P	-2.0	+7.8	106		ARBF 137W	10.8	185	39
	"	"	"	"		" 138W	12.2	174	45
	ARBF 784T					" 141W	10.6	171	71
	ANZI 3863P	-2.0	+7.8	106		" 159W	12.9	168	50
	ARBF 784T					" 162W	12.4	162	70
ringfeld, B.	12 month average					65 pigs	(14.0)	(165)	100
oaldale 45-3420	KKEF 3084T					AOGK 261W	14.0	174	87
	"					" 263W	12.3	176	104
	KKEF 1304S	-1.6	+1.3	124		" 292W	12.1	176	106
	KKEF 3084T					" 301W	12.1	159	128
	"					" 302W	9.6	173	138
	"					" 303W	10.0	162	148
	KKEF 3447S	-1.2	-1.7	129		" 331W	13.5	151	123
	KKEF 1304S	-1.6	+1.3	124		" 363W	13.3	163	111



BREEDER & TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		SIRE'S		BACKFAT (MM) TO 90 KG	AGE DAYS TO 90 KG	INDE
		FAT (MM)	AGE (DAYS)	EBV INDEX	PIG IDENTIFICATION			
Five Lakes Farms Mayerthorpe 786-4373	12 month average					(13.0)	(156)	100
	JKAA 7201U				JKAA 4702W	13.5	175	75
	"				" 4703W	12.9	175	80
	"				" 4705W	12.0	168	96
	NPD 8714T (1)				" 4901W	13.7	172	76
	"				" 4904W	13.5	171	79
	"				" 4905W	12.3	166	96
	"				" 5201W	12.8	161	97
	"				" 5202W	14.8	175	63
	"				" 5203W	14.0	174	71
	RITR 964T				" 6401W	12.2	144	121
	"				" 6402W	12.4	154	108
	"				" 6403W	16.3	154	73
	"				" 6702W	13.1	139	119
	"				" 6703W	15.9	146	85
Knobben, G. Jarvie 954-2125	12 month average				27 pigs	(12.7)	(15.5)	100
	IMP 24P (x)				GARY 60W	10.6	142	147
	"				" 61W	12.1	153	112
	"				" 62W	11.6	142	136
	"				" 63W	13.5	142	109
	"				" 70W	11.1	159	114
	"				" 71W	11.5	154	118
	"				" 72W	12.3	152	110
	"				" 73W	11.5	150	124
	"				" 75W	12.3	148	117
	IMP 85T (x)				" 90W	12.8	148	110
	"				" 91W	11.0	137	151
Knobben, J. Jarvie 954-2647	12 month average				49 pigs	(12.6)	(151)	100
	ROSE 102U				AREE 110W	12.1	153	101
	"				" 115W	13.3	157	81
	GARY 42S	+2.3	-5.3	79	" 120W	12.3	155	96
	"	"	"	"	" 121W	10.6	150	123
	"	"	"	"	" 122W	13.2	161	74
	"	"	"	"	" 123W	12.3	149	108
	"	"	"	"	" 124W	10.9	150	120
Maschmeyer, D. Bruderheim 998-2845	12 month average				58 pigs	(14.0)	(149)	100
	HILL 55U				DOUG 64W	13.9	137	122
	"				" 65W	14.2	157	83
	"				" 66W	11.5	140	138
	"				" 67W	14.5	143	107

BREEDER TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		SIRE'S EBV INDEX	PIG IDENTIFICATION	BACKFAT (MM) TO 90 KG	AGE DAYS	
		FAT (MM)	AGE (DAYS)				TO 90 KG	INDEX
J. Maschmeyer continued)	HILL 54T	-0.3	-0.4	106	" 77W	12.9	132	141
	"	"	"	"	" 78W	12.6	147	117
	"	"	"	"	" 79W	12.4	140	130
latejka, G. ylvan Lake 87-2656	12 month average				200 pigs	(13.2)	(158)	100
	DOUG 354T				KKEF 237W	11.6	188	71
	ACUT 124T	-0.8	-2.4	123	" 285W	10.7	185	87
	KKEF 2482T				" 403W	12.3	170	92
	KKEF 2641S	-1.3	-1.3	128	" 414W	12.4	165	98
	"	"	"	"	" 415W	13.7	165	82
	RITR 33U				" 421W	13.7	167	80
	KKEF 1494T	-0.9	-4.0	132	" 434W	10.4	171	114
	KKEF 532U				" 484W	14.1	164	79
	"				" 485W	12.8	170	86
	ANLG 505T (2)				" 502W	11.3	169	107
	"				" 503W	12.4	158	110
	KKEF 02180T				" 510W	14.6	160	80
	KKEF 532U				" 530W	12.9	161	99
	"				" 531W	11.4	163	115
	"				" 536W	12.5	162	101
	KKEF 2641S	-1.3	-1.3	128	" 683W	14.8	163	71
	"	"	"	"	" 686W	12.9	161	99
	"	"	"	"	" 687W	9.8	153	151
	"	"	"	"	" 689W	10.3	156	140
	RITR 33U				" 694W	9.0	152	163
ilne, B. onoka 83-6695	12 month average				112 pigs	(13.9)	(148)	100
	KKEF 2332S (1)				MILN 137W	12.9	150	112
	"				" 139W	9.7	155	146
	MILN 678T				" 146W	9.0	160	144
	"				" 147W	11.7	153	122
	"				" 148W	10.8	155	129
	MILN 188T				" 170W	11.7	152	125
	KKEF 2332S (1)				" 178W	13.3	139	130
	"				" 180W	12.9	153	104
	"				" 234W	14.6	139	110
	"				" 235W	13.6	136	131
eiter Farms Ltd. ron Springs 38-4472	12 month average				116 pigs	(12.8)	(152)	100
	KKEF 1053S	-2.6	-1.1	150	RITR 416W	14.0	166	62
	RITR 664T	-1.8	-4.5	149	" 443W	13.2	167	68
	KKEF 1053S	-2.6	-1.1	150	" 576W	12.2	142	124
	"	"	"	"	" 577W	15.7	151	74
	"	"	"	"	" 578W	12.9	147	108



BREEDER & TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		SIRE'S		BACKFAT (MM) TO 90 KG	AGE DAYS TO 90 KG	INDEX
		FAT (MM)	AGE (DAYS)	EBV INDEX	PIG IDENTIFICATION			
Reiter Farms Ltd. (continued)	RITR 664T	-1.8	-4.5	149	RITR 586W	12.6	147	110
	KKEF 1053S	-2.6	-1.1	150	" 593W	10.7	150	123
	"	"	"	"	" 594W	9.7	145	141
	RITR 664T	-1.8	-4.5	149	" 614W	9.8	143	144
	"	"	"	"	" 615W	14.3	139	109
	"	"	"	"	" 616W	11.7	150	114
	"	"	"	"	" 634W	14.3	137	113
	"	"	"	"	" 635W	12.8	131	137
	"	"	"	"	" 641W	14.3	137	113
	"	"	"	"	" 642W	12.9	134	131
	"	"	"	"	" 643W	12.1	133	141
	KKEF 1053S	-2.6	-1.1	150	" 665W	11.8	128	151
	"	"	"	"	" 666W	12.1	133	141
	RITR 664T	-1.8	-4.5	149	" 697W	11.3	131	153
	"	"	"	"	" 698W	11.0	132	152
	"	"	"	"	" 708W	10.3	130	162
	"	"	"	"	" 714W	11.5	138	137
	RITR 526S				" 725W	20.9	132	60
	"				" 732W	13.9	131	127
	"				" 733W	16.5	133	100
	RITR 664T	-1.8	-4.5	149	" 745W	13.8	136	118
	KKEF 1053S	-2.6	-1.1	150	" 756W	11.8	130	148
	"	"	"	"	" 762W	12.7	128	144
Rice, R. Ardrossan 998-2794	12 month average				29 pigs	(14.2)	(166)	100
	AHPZ 26S	-0.5	+4.6	90	AHPZ 50W	18.2	159	68
	AHPZ 146T				" 65W	16.4	176	67
	"				" 67W	15.2	162	95
	AHPZ 118T				" 68W	18.5	168	56
	"				" 69W	16.7	156	87
	"				" 70W	19.0	168	51
Vandenberg, J. Camrose 672-6177	12 month average				52 pigs	(15.1)	(156)	100
	ASCG 180T				ASCG 83W	12.9	162	114
	"				" 178W	15.7	150	105
<u>LANDRACE</u>								
Agra Farms Ltd. Okotoks 938-7741	12 month average				106 pigs	(13.8)	(160)	100
	JBFA 2S (1)	-1.2	-10.0	158	ARHL 163W	15.0	149	104
	ARHL 311T	-1.0	-6.8	142	" 188W	12.7	151	127
	"	"	"	"	" 189W	12.4	159	117
	"	"	"	"	" 190W	12.4	144	140

REEDER TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		SIRE'S EBV INDEX	PIG IDENTIFICATION	BACKFAT (MM) TO 90 KG	AGE DAYS	
		FAT (MM)	AGE (DAYS)				TO 90 KG	INDEX
arrett, R. & A. onoka 83-5192	12 month average ARBU 262U (1)				103 pigs ROYS 112W	(15.3) 12.1	(137) 150	100 102
raat, J. oaldale 27-9757	12 month average ASDZ 541S	+0.9	-1.4	91	29 pigs ARBF 175W	(13.8) 13.8	(150) 163	100 79
ieterman, B. pruce Grove 63-3663	12 month average JBFA 2S (1)	-1.2	-10.0	158	(Not Available) ATJA 20W			
uff, D. ort Saskatchewan 98-3101	12 month average FLEV 351U " "				62 pigs DUFF 150W " 160W " 161W	(14.4) 13.2 13.8 13.4	(149) 150 150 162	100 107 103 87
ringfeld, B. oaldale 45-3420	12 month average AOGK 732T				(Not Available) AOGK 341W			
nobben, G. arvie 54-2128	12 month average IMP 24T (x) " " "				(Not Available) GARY 50W " 51W " 52W " 53W			
atejka, T. ylvan Lake 87-2656	12 month average JBFA 2S (1) ARBU 262U (1) " "	-1.3	-10.0	158	23 pigs TONY 381W " 443W " 447W " 448W	(14.6) 10.6 7.7 11.5 7.8	(157) 170 178 177 184	100 137 166 106 150
eiter Farms Ltd. ron Springs 38-4472	12 month average TONY 615U " " " " "				(Not Available) RITR 624W " 625W " 626W " 656W " 657W " 658W			



BREEDER & TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		SIRE'S		BACKFAT (MM) TO 90 KG	AGE DAYS TO 90 KG	IN
		FAT (MM)	AGE (DAYS)	EBV INDEX	PIG IDENTIFICATION			
Wakeena Farm Bentley 748-4252	12 month average				(Not Available)			
	DUFF 171U				KEEN 60W	13.7	158	
	"				" 70W	13.3	170	
	"				" 80W	13.4	154	
	"				" 82W	13.1	170	
	"				" 115W	12.6	143	
<u>LACOMBE</u>								
Bloomsbury Farms Bloomsbury 674-3307	12 month average				70 pigs	(16.6)	(144)	10
	BL 102U				BL 2308W	13.7	144	13
	BL 1806U				" 2404W	13.5	146	12
	BL 15611T				" 2508W	13.9	143	13
Five Lakes Farms Mayerthorpe 786-4373	12 month average				123 pigs	(13.1)	(155)	10
	JA 5507U				JA 4604W	12.6	178	7
	"				" 4605W	13.7	178	6
	JA 2202U				" 5001W	12.9	170	7
	JA 110T	-0.7	+6.3	94	" 5101W	12.7	163	9
	KR 1303S	-2.1	-0.8	149	" 5305W	11.0	153	12
	JA 110T	-0.7	+6.3	94	" 5502W	12.9	163	9
	"	"	"	"	" 5503W	11.1	150	12
	"	"	"	"	" 5504W	11.5	153	11
	"	"	"	"	" 5505W	12.4	152	11
	"	"	"	"	" 5607W	15.0	150	9
	KR 1303S	-2.1	-0.8	149	" 6003W	13.2	157	9
	"	"	"	"	" 6004W	11.8	157	10
	"	"	"	"	" 6005W	13.1	160	9
	"	"	"	"	" 6006W	12.0	153	11
	JA 5204U				" 6201W	15.6	161	6
	"				" 6304W	11.4	148	12
	"				" 6305W	13.1	156	9
	KR 1303S	-2.1	-0.8	149	" 6501W	12.1	147	12
	"	"	"	"	" 6502W	12.1	143	12
	JA 2205U				" 6602W	12.3	153	11
<u>HAMPSHIRE</u>								
Bloomsbury Farms Bloomsbury 674-3307	12 month average				35 pigs	(14.1)	(165)	10
	WM 1511U				WM 1607W	9.5	158	15
	WM 1606U				" 1908W	14.5	152	10
	"				" 1910W	14.3	154	10



REEDER TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		SIRE'S		BACKFAT (MM) TO 90 KG	AGE DAYS	
		FAT (MM)	AGE (DAYS)	EBV INDEX	PIG IDENTIFICATION		TO 90 KG	INDEX
loomsbury Farms continued)	WM 708U				" 2005W	12.3	156	126
	WM 1511U				" 2307W	13.9	155	111
	"				" 2308W	10.1	159	147
	"				" 2309W	11.7	163	127
	WM 1606U				" 2401W	11.6	145	143
	"				" 2408W	12.1	160	125
ive Lakes Farms ayerthorpe 86-4373	12 month average				89 pigs	(12.1)	(164)	100
	JKAA 1607U				YAP 3103W	13.2	217	36
	"				" 3104W	10.1	200	80
	AOJW 384T				NP 5401W	12.1	164	100
	"				" 5402W	9.1	168	122
	"				" 5404W	11.2	151	121
atejka, S. ylvan Lake 87-2656	12 month average				(Not Available)			
	ASUS 1U				SMBL 270W	12.4	170	
	JKAA 1460T				" 307W	12.5	158	
est, N. & T.J. adway 36-3790	12 month average				(Not Available)			
	AJCM 2425T (1)				ATED 9W	13.4	166	
	JKAA 3102U				" 17W	12.6	154	
	"				" 18W	13.0	153	
<u>DUROC</u>								
raat, J. oaldale 27-9757	12 month average				22 pigs	(13.3)	(156)	100
	ARBF 64T	-0.9	-0.6	125	ARBF 178W	13.7	150	106
atejka, S. ylvan Lake 87-2656	12 month average				(Not Available)			
	SMBL 2500T				SMBL 32W	13.4	188	
	"				" 031W	8.7	178	
	"				" 300W	12.9	170	
	KTDA 262T (1)				" 373W	12.5	154	
	SMBL 2500T"				" 301W	10.7	183	
eufeld Farms Ltd. cme 46-3969	12 month average				(Not Available)			
	NEUF 180T				NEUF 34W	13.7	164	
	"				" 35W	15.7	160	
	"				" 36W	12.6	160	

BREEDER & TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		SIRE'S EBV INDEX	PIG IDENTIFICATION	BACKFAT (MM) TO 90 KG	AGE DAYS TO 90 KG	IN
		FAT (MM)	AGE (DAYS)					
Neufeld Farms (continued)	ASOV 932T (1)				" 40W	11.9	163	
	"				" 41W	14.2	168	
	"				" 42W	15.2	160	
	"				" 45W	12.8	191	
	"				" 46W	10.5	185	
	NEUF 147T				" 47W	12.5	130	
	"				" 48W	13.2	127	
Reiter Farms Ltd. Iron Springs 738-4472	12 month average HILL 161T				(Not Available)			
	"				RITR 455W	9.9	168	
					" 545W	12.9	156	
Rice, R. Ardrossan 998-2794	12 month average ARVY 14T				38 pigs	(14.6)	(174)	10
	"				AHPZ 53W	18.4	153	10
	"				" 54W	16.1	162	10
	"				" 58W	18.6	162	8
Vandenberg, J. Camrose 672-6177	12 month average ASCG 8U				28 pigs	(14.5)	(149)	10
	"				ASCG 120W	12.7	163	9
	"				" 122W	14.7	159	7
	"				" 124W	13.3	154	10
<u>CROSSBRED</u>								
Bloomsbury Farms Bloomsbury 674-3307	12 month average BL 1106U				(Not Available)			
	"				8KJ 906W	13.4	149	
	"				" 907W	14.7	144	
	"				" 909W	13.5	143	
	"				" 912W	11.1	142	
	"				" 1304W	17.2	155	
	"				" 1305W	15.5	147	
	"				" 1306W	13.3	143	
Braat, J. Coaldale 327-9757	12 month average ASDZ 541S				103 pigs	(13.3)	(143)	10
	"	+0.9	-1.4	91	155W	11.0	169	7
	"	"	"	"	156W	10.2	170	7
	ARBF 656T	-0.8	-7.3	149	182W	13.7	144	9
	ANZI 3863P	-2.0	+7.8	106	191W	15.4	140	8
	"	"	"	"	192W	14.9	142	8
	ARBF 64T	-0.9	-0.6	125	201W	16.7	139	7
	"	"	"	"	202W	17.1	143	6



BREEDER TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		SIRE'S EBV INDEX	PIG IDENTIFICATION	BACKFAT (MM) TO 90 KG	AGE DAYS TO 90 KG	INDEX
		FAT (MM)	AGE (DAYS)					
raat, J. continued)	ARBF 64T	-0.9	-0.6	125	203W	15.4	139	87
	"	"	"	"	209W	10.4	157	101
	ASDZ 541S	+0.9	-1.4	91	235W	12.8	136	120
	"	"	"	"	236W	13.2	142	104
	"	"	"	"	240W	16.7	141	72
	"	"	"	"	259W	11.3	128	150
	"	"	"	"	260W	13.8	130	121
erewianka, C.	12 month average				(Not Available)			
askatenau 58-2498	KKEF 3211S				11524W	14.8	165	
	AREE 380T				13102W	15.7	158	
	"				13104W	17.4	164	
	"				13106W	17.7	159	
	KKEF 3211S				13612W	13.8	165	
	"				13614W	11.7	158	
	"				13615W	13.6	164	
aschmeyer, D. ruderheim 98-2845	12 month average				(Not Available)			
	Aoud 1512R	-0.3	+7.7	67	8 DL 603W	15.6	148	
aschmeyer, G. ruderheim 98-2845	12 month average				(Not Available)			
	DOUG 800T				8 GM 16W	16.5	137	
	"				" 17W	13.8	144	
eufeld Farms Ltd. cme 46-3969	12 month average				84 pigs	(14.4)	(157)	100
	NEUF 180T				52W	13.0	156	119
	"				53W	14.4	158	99
	"				54W	15.0	157	93
	204Y				6016W	12.1	160	123
	"				6017W	14.7	156	98
	"				61W	13.1	139	141
	"				64W	14.7	134	129
	"				65W	14.3	138	128
	JBFA 2S (1)	-1.3	-10.0	158	6418W	12.5	168	107
	"	"	"	"	6419W	13.8	179	76
	17Y				6614W	12.4	160	120
	"				6615W	12.5	173	99
	KKEF 2332T (1)				655W	17.5	166	50
	"				656W	13.7	162	102
	"				657W	17.8	165	47
	"				681W	14.4	171	80

BREEDER & TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		SIRE'S		BACKFAT (MM) TO 90 KG	AGE DAYS	
		FAT (MM)	AGE (DAYS)	EBV INDEX	PIG IDENTIFICATION		TO 90 KG	TO 90 KG
Neufeld Farms (continued)	KKEF 2332T (1)				682W	13.8	163	
	"				683W	14.4	171	
	"				684W	14.6	172	
	172Y				768W	13.2	154	1
	"				769W	15.3	148	1
	"				7610W	17.1	152	
	"				7611W	16.1	145	
	309L				8512W	14.3	145	1
	"				8513W	12.9	142	1
Ranchview Test Barn 12 month average					859 pigs	(13.4)	(154)	1
Bentley 748-3802	RFAA 639U				806W	12.2	153	1
	RFAA 671P				812W	13.2	154	1
	"				813W	10.8	151	1
	"				814W	13.2	148	1
	RFAA 2165T				823W	11.6	147	1
	RFAA 1791T				831W	15.4	144	
	"				833W	15.4	144	
	"				834W	13.7	144	1
	RFAA 2165T				842W	12.9	158	
	"				845W	14.5	161	
	"				846W	14.6	162	
	RFAA 2165T				847W	13.9	164	
	RFAA 3522T				861W	13.2	160	
	"				865W	12.6	152	11
	"				866W	11.4	158	11
	RFAA 3271T				872W	13.8	156	9
	"				0872W	11.5	162	10
	"				8713W	13.0	161	9
	RFAA 1791T				881W	12.4	156	10
	"				884W	12.6	150	11
	"				885W	12.9	149	11
	"				886W	12.6	154	10
	"				914W	12.7	146	12
	"				915W	14.1	157	8
	RFAA 2165T				941W	13.4	149	11
	"				971W	11.7	160	10
	"				973W	10.2	157	13
	"				975W	14.0	154	9
	"				976W	11.5	159	11
	RFAA 1791T				836W	12.4	159	10
	RFAA 2165T				841W	12.3	168	8
	"				844W	12.5	169	8
	RFAA 110S				923W	13.3	147	11
	"				924W	12.2	157	10



BREEDER TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		SIRE'S EBV	PIG IDENTIFICATION	BACKFAT (MM) TO 90 KG	AGE DAYS TO 90 KG	INDEX
		FAT (MM)	AGE (DAYS)					
anchview Test (continued)	RFAA 3271T				932W	16.2	150	75
	RFAA 639U				963W	13.4	161	86
	"				965W	12.4	154	111
	RFAA 110S				981W	12.8	154	108
	RFAA 671P				991W	12.7	161	95
	"				994W	12.6	153	111
	RFAA 639U				1001W	16.9	147	74
	RFAA 5711U				1012W	15.0	143	103
	"				1013W	12.8	145	125
	"				1014W	13.4	146	117
	RFAA 671P				1026W	13.0	144	125
	RFAA 639U				1043W	13.8	155	95
	"				1052W	15.0	152	86
	RFAA 110S				1073W	13.7	149	108
	RFAA 639U				901W	14.8	165	62
	RFAA 671P				10312W	15.7	157	68
	KKEF 2332T (1)				1095W	13.8	161	82
	"				1102W	13.5	145	117
	"				1111W	13.1	150	112
	ATJG 04U (1)				1121W	13.2	151	108
	"				1132W	12.4	140	139
	"				1134W	12.8	148	120
	KKEF 2332T (1)				1141W	14.6	159	76
	"				1142W	11.6	149	130
	"				1145W	14.5	147	101
	RFAA 3271T				1156W	14.1	161	78
	AJCM 242T (1)				1161W	13.2	141	127
	"				1163W	12.1	159	106
	"				1166W	14.8	150	92
	"				11612W	13.8	150	103
	ATJG 04U (1)				1222W	13.1	148	115
	ARBU 262U (1)				1241W	12.1	158	107
	RFAA 3522T				1271W	13.6	141	124
	"				1272W	14.0	143	114
	"				1273W	14.1	153	95
	KKEF 2332T (1)				1282W	11.6	143	142
	RFAA 2165T				1291W	13.2	153	106
	"				1294W	11.4	148	136
	"				1296W	12.0	149	127
	"				12911W	11.5	145	140
	AJCM 1481S (1)	-0.7	+1.7	116	1311W	13.1	148	117
	"	"	"	"	1314W	13.5	154	100
	RFAA 1791T				1321W	11.9	151	124
	RFAA 3523T				1353W	11.9	141	143
	RFAA 3271T				1403W	13.2	144	121
	AJCM 2425T (1)	-0.7	+1.7	116	1437W	13.3	150	111

BREEDER & TELEPHONE	SIRE IDENTIFICATION	SIRE E.B.V.		SIRE'S		BACKFAT (MM) TO 90 KG	AGE DAYS		IN
		FAT (MM)	AGE (DAYS)	EBV INDEX	PIG IDENTIFICATION		TO 90 KG	TO 90 KG	
Ranchview Farms "B" 12 month average Bentley 748-3802					141 pigs	(14.0)	(160)		10
	RFAA 5999T				1027W	9.9	161		14
	"				10210W	12.3	168		10
	"				1036W	14.5	166		8
	"				10310W	14.1	158		10
	"				10311W	12.0	170		10
	RFAA 5496S				1077W	12.8	152		12
	"				10710W	12.0	162		11
	"				10712W	13.8	164		9
	"				1086W	12.5	162		11
	RFAA 111S				1116W	11.8	171		10
	RFAA 639U				1164W	11.1	175		10
	RFAA 111S				1188W	12.3	165		10
	"				1228W	14.3	164		8
	"				1229W	14.0	162		9
	"				1266W	10.6	152		15
	"				01266W	12.7	157		12
	ARHL 313T (1)				1268W	12.0	153		13
	"				1269W	14.4	167		8
	"				12610W	11.0	153		14
	RFAA 29310U				1276W	13.7	158		10
	RFAA 5999T				1287W	12.1	164		11
	RFAA 5496S				1074W	13.4	168		9
	"				1076W	14.8	165		8
	RFAA 6999T				1354W	13.8	159		10
	RFAA 29310U				1398W	12.0	145		15
	RFAA 97T				1400W	12.2	149		14
	"				1404W	13.2	155		11
	"				1405W	11.6	158		13
	RFAA 6438R				14110W	11.0	153		14
	RFAA 5496S				1437W	10.6	154		14
	"				1438W	11.7	155		13
	"				1439W	12.4	168		10
	"				14310W	11.7	152		14
	RFAA 5999T				1517W	13.9	161		9
	RFAA 97T				1579W	11.7	145		15
Vandenberg, J. Camrose 672-6177	12 month average				(Not Available)				
	ASCG 91T				160W	14.7	139		



## G I L T S

BREEDER ADDRESS TELEPHONE	12 MONTH AVERAGE		PROBE PERIOD				
	# PROBED	BACKFAT (MM)	AGE (DAYS)	DATE	# PROBED	AVG. B.F.	AVG. AGE
<u>YORKSHIRE</u>							
gra Farms Ltd. kotoks 38-7741	108	14.7	159	August 16 - 31	13	15.2	149
loomsbury Farms loomsbury 74-3307	34	16.9	164	"	15	14.9	152
raat, J. oaldale 27-9757	186	12.2	158	"	13	11.8	180
ringfeld, B. oaldale 45-3420	88	15.1	170	"	14	14.5	160
ive Lakes Farms ayerthorpe 86-4373	132	14.4	169	"	10	14.3	162
nobben, G. arvie 54-2125	43	13.8	165	"	9	12.9	151
nobben, J. arvie 54-2647	45	13.3	159	"	6	12.0	158
aschmeyer, D. ruderheim 98-2845	40	15.4	152	"	7	12.7	148
ilne, B. onoka 83-6695	151	15.1	158	"	18	13.6	141
eiter Farms Ltd. ron Springs 38-4472	175	14.6	160	"	17	13.8	146
ice, R. rdrossan 98-2794	27	15.8	168	"	3	15.0	166

BREEDER ADDRESS & TELEPHONE	12 MONTH AVERAGE			PROBE PERIOD			
	# PROBED	BACKFAT (MM)	AGE (DAYS)	DATE	# PROBED	AVG. B.F.	A
Vandenberg, J. Camrose 672-6177	26	15.0	166	August 16 - 31	10	17.5	1
West, N. & T.J. Radway 736-3790	22	15.3	171	"	1	13.9	19
<u>LANDRACE</u>							
Agra Farms Ltd. Okotoks 938-7741	150	13.8	165	"	8	11.5	19
Barrett, R. & A. Ponoka 783-5192	138	16.6	144	"	2	14.6	15
Braat, J. Coaldale 327-9757	42	14.8	157	"	4	16.0	15
Dieterman, B. Spruce Grove 963-3663	(Not Available)			"	7	16.1	14
Duff, D. Fort Saskatchewan 998-3101	91	14.6	148	"	5	13.0	15
Eringfeld, B. Coaldale 345-3420	(Not Available)			"	2	13.0	16
Knobben, G. Jarvie 954-2125	(Not Available)			"	3	14.4	14
Milne, B. Ponoka 783-6695	62	14.5	150	"	4	12.1	14
Reiter Farms Ltd. Iron Springs 738-4472	(Not Available)			"	10	15.3	14
Wakeena Farm Bentley 748-4252	29	15.0	165	"	4	12.4	16



BREEDER ADDRESS TELEPHONE	12 MONTH AVERAGE		PROBE PERIOD				
	# PROBED	BACKFAT (MM)	AGE (DAYS)	DATE	# PROBED	AVG. B.F.	AVG. AGE
<u>LACOMBE</u>							
Loomsbury Farms Loomsbury 74-3307	74	17.0	151	August 16 - 31	12	14.7	152
Five Lakes Farms Wyerthorpe 86-4373	115	14.8	170	"	16	13.6	169
<u>HAMPSHIRE</u>							
Loomsbury Farms Loomsbury 74-3307	48	14.2	180	"	14	13.0	157
Wraat, J. Waldale 27-9757	26	14.5	148	"	1	13.0	149
Five Lakes Farms Wyerthorpe 86-4373	88	13.1	176	"	3	12.7	168
Watejka, S. Wylvan Lake 87-2656	(Not Available)			"	2	13.5	173
West, N. & T.J. Wadway 36-3790	(Not Available)			"	7	14.7	157
<u>DUROC</u>							
Wraat, J. Waldale 27-9757	(Not Available)			"	3	14.0	158
Wuefeld Farms Ltd. Wume 46-3969	(Not Available)			"	7	15.7	147
Welter Farms Ltd. Wron Springs 38-4472	(Not Available)			"	5	14.7	159

BREEDER ADDRESS & TELEPHONE	12 MONTH AVERAGE			PROBE PERIOD			
	# PROBED	BACKFAT (MM)	AGE (DAYS)	DATE	# PROBED	AVG. B.F.	AV. AC
Rice, R. Ardrossan 998-2794	(Not Available)			August 16 - 31	1	16.9	15
Vandenberg, J. Camrose 672-6177	20	16.1	140	"	1	13.2	16
<u>CROSSBRED</u>							
Bloomsbury Farms Bloomsbury 674-3307	23	15.8	135	"	10	14.9	14
Braat, J. Coaldale 327-9757	54	14.1	151	"	5	14.2	15
Derewianka, C. Waskatenau 358-2498	166	17.0	183	"	8	15.8	17
Maschmeyer, D. Bruderheim 998-2845	(Not Available)			"	2	15.8	14
Maschmeyer, G. Bruderheim 998-2845	(Not Available)			"	4	16.7	14
Milne, Bruce Ponoka 783-6695	256	14.9	152	"	3	11.7	15
Neufeld Farms Ltd. Acme 546-3969	33	15.4	161	"	6	16.7	17
Old House Farms Neerlandia 674-5453	169	14.1	174	"	20	13.6	17
Olds College Olds 556-8393	459	15.7	161	"	26	16.0	14



BREEDER ADDRESS & TELEPHONE	12 MONTH AVERAGE			PROBE PERIOD			
	# PROBED	BACKFAT (MM)	AGE (DAYS)	DATE	# PROBED	AVG. B.F.	AVG. AGE
Ranchview Test Barn Bentley 748-3802	97	15.0	166	August 16 - 31	25	13.8	172
Ranchview Farms B Bentley 748-3802	813	15.5	168	"	38	13.3	154
Wakeena Farm Bentley 748-4252	(Not Available)			"	6	14.5	166
West, N. & T.J. Radway 736-3790	160	16.3	160	"	23	14.3	158
Woelk Farms, Unit #1 Millet 387-4801	108	17.2	174	"	12	15.4	176
Woelk Farms, Unit #2 Millet 387-4801	123	16.3	173	"	8	16.1	170

